



Woundcare & Compression Brochure



essity

Cutimed®
an Essity brand

HC21
Healthcare

Contents


Cutimed Sorbact	pg 3
Wound Management Continuum	pg 5
Cutimed DebriClean	pg 6
Leukomed Sorbact	pg 8
Cutimed Sorbion	pg 10
Cutimed Siltec	pg 14
Cutimed Epiona	pg 16
JOBST FarrowWrap	pg 18
JOBST UlcerCARE	pg 20

Cutimed® Sorbact®

Safe and effective infection management

Ranked No.1 on
HSE Woundcare
Framework

Up to **73.1%**
bacterial reduction
in critically
colonised
wounds¹



Cutimed® Sorbact®	Wound Pad Size	Size	Essity Product Code	Dressings per box
Dressing pads Dressing fabric with absorbent core 		7 x 9cm	72161-16	1 x 5
		7 x 9cm	72161-15	1 x 40
		10 x 10cm	72162-18	1 x 5
		10 x 10cm	72162-17	1 x 40
		10 x 20cm	72163-10	1 x 20
Ribbon gauzes For use in cavity wounds of all kinds 		2 x 50cm	72166-11	1 x 20
		5 x 200cm	72167-07	1 x 10
Swabs Flat, folded dressing for deep or superficial wounds 		4 x 6cm	72164-17	1 x 5
		4 x 6cm	72164-16	1 x 40
		7 x 9cm	72165-15	1 x 5
		7 x 9cm	72165-14	1 x 40
Sorbact® Gel Promotes autolytic debridement 		7.5 x 7.5cm	72611-20	1 x 10
		7.5 x 15cm	72611-21	1 x 10
Sorbact® Hydroactive Absorbent hydrogel core for low to moderately exuding wounds 	(5 x 6.5cm)	7 x 8.5cm	72646-03	1 x 10
	(10 x 10cm)	14 x 14cm	72646-04	1 x 10
	(15 x 15cm)	19 x 19cm	72646-05	1 x 10
	(10 x 20cm)	14 x 24cm	72646-07	1 x 10
	(20 x 20cm)	24 x 24cm	72646-06	1 x 5
Sorbact® Hydroactive B (border) Absorbent hydrogel core for low to moderately exuding wounds; adhesive border 	(5 x 6.5cm)	7 x 8.5cm	79933-00	1 x 10
	(10 x 10cm)	14 x 14cm	79933-02	1 x 10
	(15 x 15cm)	19 x 19cm	79933-03	1 x 10
	(10 x 20cm)	14 x 24cm	79933-04	1 x 10
Siltec® Sorbact® B® Super-absorbent foam dressing for low to moderately exuding wounds; silicone adhesive border 	(4 x 4cm)	7.5 x 7.5cm	73251-43	1 x 10
	(8.2 x 8.2 cm)	12.5 x 12.5cm	73251-44	1 x 10
	(10 x 10 cm)	15 x 15cm	73251-45	1 x 10
	(12.3 x 12.3 cm)	17.5 x 17.5cm	73251-46	1 x 5
	(16.5 x 16.5 cm)	22.5 x 22.5cm	73251-47	1 x 5
Siltec® Sorbact® (sacrum)		17.5 x 17.5cm	73251-48	1 x 5
		23 x 23cm	73251-49	1 x 5
Sorbion® Sorbact® Super-absorbent dressing for highly exuding wounds 	(8 x 9cm)	10 x 10cm	72698-16	1 x 10
	(7.7 x 17.8cm)	10 x 20cm	72698-17	1 x 10
	(17.8 x 17.8cm)	20 x 20cm	72698-18	1 x 10
	(17.5 x 27.5cm)	20 x 30cm	72698-19	1 x 10
Leukomed® Sorbact®				
Especially suitable for use in post-operative wounds 	(2.8 x 3.8cm)	5 x 7cm	76199-28	1 x 50
	(4 x 6.5cm)	8 x 10cm	76199-29	1 x 20
	(4 x 11cm)	8 x 15cm	76199-30	1 x 20
	(5 x 15cm)	10 x 20cm	76199-31	1 x 20
	(5 x 20cm)	10 x 25cm	76199-32	1 x 20
	(5 x 25cm)	10 x 30cm	76199-33	1 x 20
	(5 x 30cm)	10 x 35cm	76199-34	1 x 20

Sorbact® is a registered trademark of ABIGO Medical AB.



Wound Management:

In your hands

Why wait? Break the infection continuum now

Wound infection can delay wound healing, significantly increasing the economic cost and negatively impacting the patient's quality of life.

The IWII Wound Infection Continuum is a well acknowledged educational tool that provides a framework to conceptualise the impact that microorganisms have on the host, the wound and on wound healing.

Cutimed® DebrClean and Cutimed® Sorbact® can be used proactively to help break this infection continuum in the early stages, to prevent a wound infection developing.

IWII Wound Infection Continuum (IWII-WIC)¹



Cutimed® DebrClean

- ◆ Effective debridement
- ◆ Removes barriers to healing
- ◆ Binds and removes bacteria, exudate and debris in the loop fibres
- ◆ Removes >99% of biofilm from the wound*
- ◆ Safe, easy and fast to use
- ◆ Removes hyperkeratosis and devitalised tissue of surrounding skin





Cutimed® Sorbact®

- ◆ Reduces the bioburden in wounds
- ◆ No known contraindications and low risk of allergies**
- ◆ Immediate onset of action
- ◆ Development of bacterial or fungal resistance is not expected
- ◆ No release of active agents into the wound
- ◆ Suitable for prolonged treatment*
- ◆ Does not promote the bacterial release of endotoxins



Cutimed® DeibriClean

Fast and effective wound debridement


Ranked No.1 on
HSE Woundcare
Framework

> 99% biofilm
removal with
just 4 wipes^{1,2}



Cutimed® DeibriClean

In chronic wounds, devitalised tissue and biofilm forms a physical barrier that inhibits the formation of new tissue. For the wound to heal properly, the devitalised tissue and biofilm must be removed.³ That's why every layer of the **Cutimed® DeibriClean** pad has been specially designed to support you in the mechanical debridement process and lead to **more effective wound healing**.



Hard blister pack
for moistening and disposal.
Dependent on your local guidelines,
all commonly used wound rinsing
solutions can be used.*

Ordering information			
Code	Size	Pack Qty	Shipping Qty
76170-00	9 x 13 cm	1 x 5	12 boxes

* Product is compatible with commonly used wound cleansing solutions based on PHMB, sodium hypochlorite or hypochlorous acids, octenidine, 0.9% medical saline solution, water and Ringer's solution

¹ JB4 40031810, In vitro evaluation of the cleansing effect of Cutimed® DeibriClean and Cutisoft Cotton. August 2018, BSN medical data on file.

² JB4 40031908, In vitro evaluation of removal of viable biofilm by Cutimed® DeibriClean and Cutisoft Cotton. August 2018, BSN medical data on file.

NICE medical technologies guidance now available. Please see over for details

Ranked No1 on HSE Woundcare Framework



Leukoplast®

Leukomed® Sorbact®

Innovative Post-Operative Film Dressing for Surgical Site Infection Prevention

Clinically proven wound infection prevention^{1,2,3,4}

Cost-effective surgical site infection reduction⁴

Safe and unique Sorbact® bacteria binding technology



NICE medical technologies guidance recommends that Leukomed Sorbact should be considered as an option for preventing surgical site infection (SSI) in wounds with low to moderate exudate post caesarean and vascular surgery and that it should be used as part of usual measures to help reduce the risk of SSI*. To read the full guidance please visit: www.nice.org.uk/guidance/mtg55

Leukoplast®

Leukomed® Sorbact®

Innovative post-operative dressing to help to reduce wound bacteria colonisation by its physical mode of action. For post-operative and traumatic wounds

Efficacy proven in clinical evidence:


- Clinically significant 65% relative risk reduction of acquiring a surgical site infection post-caesarean section²
- Up to 57% cost reduction of SSI when treating caesarean sections, using NHS cost model⁴
- Effective reduction of the bacterial burden in critically colonised or locally infected wounds⁵

Unique bacteria binding Sorbact®

- Effectively binds hydrophobic bacteria and fungi
- Development of bacterial and fungal resistance is not expected

Bacteria proof adhesive film

- Effectively protects against external contamination
- Breathable and shower-proof



Code	Size	Wound Pad Size	Pack qty
76199-28	5cm x 7cm	2.8cm x 3.8cm	1 x 50
76199-29	8cm x 10cm	4cm x 6.5cm	1 x 20
76199-30	8cm x 15cm	4cm x 11cm	1 x 20
76199-31	10cm x 20cm	5cm x 15cm	1 x 20
76199-32	10cm x 25cm	5cm x 20cm	1 x 20
76199-33	10cm x 30cm	5cm x 25cm	1 x 20
76199-34	10cm x 35cm	5cm x 30cm	1 x 20

Leukomed® is registered trademark of BSN medical GmbH. Sorbact® is a registered trademark of ABIGO Medical AB.
 1. Chadwick, P., Ousey, K. (2019) Bacterial-binding dressings in the management of wound healing and infection prevention: a narrative review. Journal of Wound Care. Vol 28, No.67.
 2. Staniewski J, Bizon M, Cendrowski K, et al (2016b) Randomized controlled trial evaluating dialkylcarbamoyl chloride impregnated dressings for the prevention of surgical site infections in adult women undergoing caesarean section. Surg Infect (Larchmt) 17(4): 427-35. 3. Bua N, et al. Dialkylcarbamoyl chloride dressings in the prevention of surgical site infection after nonimplant vascular surgery. Ann Vasc Surg 2017; 44: 387-392. 4. Staniewski PJ, Davies H, McMaster J, Mealing S, Sawicki W, Cendrowski K, Posnett J. Cost-effectiveness of a bacterial binding dressing to prevent surgical site infection following caesarean section. Journal of Wound Care. 2019 Apr; 28(4):222-228. 5. Cutting K, Maguire J (2015) Safe bioburden management. A clinical review of DACC technology. Journal of Wound Care. Vol 24, No 5
 * © NICE 2021 Leukomed Sorbact for preventing surgical site infection. Available from www.nice.org.uk/guidance/mtg55. All rights reserved. Subject to Notice of rights. NICE guidance is prepared for the National Health Service in England. All NICE guidance is subject to regular review and may be updated or withdrawn. NICE accepts no responsibility for the use of its content in this publication

Cutimed® Sorbion®

Outstanding and cost effective exudate management

Available on
HSE Woundcare
Framework

Cutimed® Sorbion®
outperforms all other
brands in:

- Absorbency
- Fluid retention
- Absorbency under compression¹

Cutimed® Sorbion® Sachet S	Size	Code	Pack Qty
<p>Versatile super absorbent wound dressing with high wearing comfort for primary wound contact.</p> <div></div> 	7.5 × 7.5 cm 3 × 3 inch	73232-00	1 × 10
	12 × 5 cm 5 × 2 inch	73232-03	1 × 10
	10 × 10 cm 4 × 4 inch	73232-06	1 × 10
	20 × 10 cm 8 × 4 inch	73232-09	1 × 10
	15 × 15 cm 6 × 6 inch	73232-12	1 × 10
	20 × 20 cm 8 × 8 inch	73232-15	1 × 10
	30 × 20 cm 12 × 8 inch	73232-18	1 × 10
Cutimed® Sorbion® Sachet Extra	Size	Code	Pack Qty
<p>Our strongest primary dressing with enhanced absorption and retention capacity.</p> <div></div> 	5 × 5 cm 2 × 2 inch	73234-00	1 × 5
	7.5 × 7.5 cm 3 × 3 inch	73234-01	1 × 5
	10 × 10 cm 4 × 4 inch	73234-02	1 × 5
	20 × 10 cm 8 × 4 inch	73234-03	1 × 5
	20 × 20 cm 8 × 8 inch	73234-04	1 × 5
	30 × 20 cm 12 × 8 inch	73234-05	1 × 5
Cutimed® Sorbion® Sachet Multi Star	Size	Code	Pack Qty
<p>Wound bed preparation in its most flexible form. Especially suitable for application on contoured body parts, such as as the toes, heel etc.</p> <div></div> 	ø 8 cm ø 3.5 inch	73237-00	1 × 5
	ø 14 cm ø 5.5 inch	73237-02	1 × 5
Cutimed® Sorbion® Sachet XL	Size	Code	Pack Qty
<p>For treating extensive wounds, e.g. on upper and lower leg, thorax, abdomen, forearm area.</p> <div></div> 	45 × 25 cm 18 × 10 inch	73240-01	1 × 5
Cutimed® Sorbion® Sachet Border	Size	Code	Pack Qty
<p>Self-adhesive hydroactive wound dressing for highly exuding wounds. Used wherever quick and easy application is required.</p> <div></div> 	10 × 10 cm	71010-00	1 × 10
	15 × 15 cm	71010-02	1 × 10
	20 × 20 cm	71010-03	1 × 10
	10 × 23 cm	71010-04	1 × 10
	9 × 11 cm (Oval Shape)	71010-07	1 × 10
	19.5 × 22 cm (Sacrum Shape)	71010-08	1 × 10
Cutimed® Sorbion® Sachet S Drainage		Code	Pack Qty
<p>Particularly developed for use with catheters, drainages, etc.</p> <div></div> 		73241-00	1 × 10

Wound depth
☐ Superficial
☐ Deep
☐ Superficial + deep

Wound phase
☐ Necrotic
☐ Infected
☐ Sloughy
☐ Granulating
☐ Epithelializing

Exudate level
☐ Dry to low
☐ Low to moderate
☐ Moderate to high
☐ High to excessive

**LATEX
FREE
FORMULA**
Not made with natural
rubber latex

Cutimed® Sorbion® Sana Gentle	Size	Code	Pack Qty
Super absorbent atraumatic wound dressing with high wearing comfort for primary wound contact. <div> </div>	8.5 × 8.5cm 3.5 × 3.5inch	73233-19	1 × 10
	12 × 12cm 5 × 5inch	73233-22	1 × 10
	22 × 12cm 9 × 5inch	73233-25	1 × 10
	22 × 22cm 9 × 9inch	73233-14	1 × 10
	32 × 22cm 12.5 × 8inch	73233-16	1 × 10

Cutimed® Sorbion® – fits to all body contours

Neck
Access at the neck
Ear
Armpit

Palm
Finger
Elbow
Crook of the arm

Upper body
Access to abdomen
Sacrum
Shin

Ankle
Foot
Instep
Toe

Cutimed® Sorbion® Sachet S / Sana Gentle

Cutimed® Sorbion® Sachet Extra

Cutimed® Sorbion® Sachet Border

Cutimed® Sorbion® Sachet XL

Cutimed® Sorbion® Sachet S Drainage

Cutimed® Sorbion® Sachet Multi Star

Please note: All Cutimed® Sorbion® dressings must be fixed secondarily (exception: Cutimed® Sorbion® Sachet Border). Cutimed Sorbion products should not be cut.


The Evidence

Clinical evaluation team report findings



The Cutimed® Sorbion® technology provides effective exudate management beyond the performance of other super absorbent dressings.

Cutimed® Sorbion® outperforms all other brands in:

- Absorbency
- Fluid retention
- Absorbency under compression¹



Cutimed® Sorbion® Sachet enhanced absorbency also allows for its use under self management compression systems. Cutimed® Sorbion® Sachet can be used on either side which allows for ease of application.



CET report, ref 1

Cutimed® Siltec®

Closing wounds. Together.

Available on
HSE Woundcare
Framework

THE CUTIMED SILTEC RANGE

SECURE, COMFORTABLE, CONFORMABLE

Cutimed Siltec products are designed for atraumatic wound dressing changes with minimised pain and to protect against odour. Additionally, the border products are fully water resistant, allowing your patient to shower between dressing changes.



CUTIMED® SILTEC® B

- Fast application, secondary fixation is not necessary



CUTIMED® SILTEC® PLUS

- Strong initial tack for that helping hand effect, easy to apply and easy to re-adjust



CUTIMED® SILTEC®

- Skin protection with a feather tack
- Excellent exudate management










CUTIMED® SILTEC® L

- Soft and conformable wound dressing
- Protective dressing for compromised and fragile skin

► Plus anatomical shapes (Oval, Sacrum, Heel)

ORDERING INFORMATION

Order information

Cutimed Siltec	Code	Dressing size (cm)	Pack Quantity
Cutimed Siltec B (Border)  Self-adherent bordered dressing	73284-00	7.5 x 7.5	1 x 10
	73284-01	12.5 x 12.5	1 x 10
	73284-02	15 x 15	1 x 10
	73284-03	17.5 x 17.5	1 x 5
	73284-04	22.5 x 22.5	1 x 5
	73284-05	10 x 10	1 x 10
	73284-06	10 x 22.5	1 x 10
Cutimed Siltec B Oval  Self-adherent bordered dressing	73284-14	7 x 10 / oval	1 x 10
Cutimed Siltec Plus  With a soft tack	73288-00	5 x 6	1 x 10
	73288-01	10 x 10	1 x 10
	73288-02	10 x 20	1 x 10
	73288-03	15 x 15	1 x 10
	73288-04	20 x 20	1 x 5
Cutimed Siltec  With a feather tack	73285-00	5 x 6	1 x 10
	73285-01	10 x 10	1 x 10
	73285-02	10 x 20	1 x 10
	73285-03	15 x 15	1 x 10
	73285-04	20 x 20	1 x 5
Cutimed Siltec L (Light)  For lower levels of exudate	73283-00	5 x 6	1 x 10
	73283-01	10 x 10	1 x 10
	73283-02	15 x 15	1 x 10
Cutimed Siltec Sacrum  Self-adherent bordered shaped dressing	73287-00	17.5 x 17.5	1 x 5
	73287-01	23 x 23	1 x 5
Cutimed Siltec Plus Heel  Soft tack shaped dressing	73288-05	16 x 24 / Heel 2D	1 x 10
	73286-01	16 x 24 / Heel 3D	1 x 5





Icon Key

As no two wounds are the same, Cutimed dressings are labelled with the icons, which are based on the cornerstones of wound assessment, to help simplify dressing choice and reduce wastage




Wound phase

-  Necrotic
-  Infected
-  Sloughy
-  Granulating
-  Epithelialising

Exudate level

-  Dry to low
-  Low to moderate
-  Moderate to high
-  High to excessive

Wound depth

-  Superficial
-  Deep
-  Superficial + deep

Cutimed® Epiona

Boosts healing in chronic and stagnating wounds

Available on
HSE Woundcare
Framework

Cutimed® Epiona
saves time
and reduces
treatment costs¹




When to use Cutimed® Epiona

Following a holistic wound assessment **Cutimed® Epiona** is indicated for use on wounds healing by secondary intention which are free of necrotic tissue, such as:

- Diabetic ulcers
- Venous ulcers
- Pressure ulcers
- Ulcers caused by mixed vascular aetiologies
- Trauma wounds and surgical wounds
- Donor sites
- Second degree burns



Benefits at a glance



Ordering information

Essity code	Size	Pack Qty
73229-00	5 x 5 cm	1 x 10
73229-01	10 x 10 cm	1 x 10

1. Pallasko et al., 'The Significance of Collagen Dressings in Wound Management: A Review', Journal of Wound Care, 2018
2. Sabo, M., et al., 'A Post-marketing Surveillance Study of Chronic Wounds Treated With a Native Collagen Calcium Alginate Dressing', Ostomy Wound Management, 2018
3. Cutimed® Epiona - Case Report, Data on File.
4. Wiegand C., et al., 'A novel native collagen dressing with advantageous properties to promote physiological wound healing', Journal of Wound Care, 2016.
5. Jesty, J. et al., 'Assessment In Vitro of the Active Hemostatic Properties of Wound Dressings', Journal of Biomedical Materials Research Part B: Applied Biomaterials, 2008
6. Frykberg R. G., Banks J., 'Challenges in the Treatment of Chronic Wounds', Advanced Wound Care, 2015

Ranked No.1 on
HSE Woundcare
Framework

JOBST® FarrowWrap®

For the management of venous
and lymphatic conditions



Helps Minimize
Swelling



Durable



Easy Donning



Strong
Hold

JOBST® FarrowWrap®

Ready-to-Wear Wrap Compression System

JOBST®FarrowWrap® is a wrap compression system that consists of a pair of liners and an outer wrap piece for the treatment of lymphoedema, chronic oedema and chronic venous insufficiency in the lower limb. To apply correctly, bands should be stretched and fixated with the Velcro™ fasteners.

JOBST® FarrowWrap® Footpiece



Available in:
Lite 20-30mmHg
Strong & Classic 30-40mmHg
Sizes: 5
Lengths: 2 (regular or long)
Colour: Tan

JOBST® FarrowWrap® Legpiece



Available in:
Lite 20-30mmHg
Strong & Classic 30-40mmHg
Sizes: 5
Lengths: 2 (regular or long)
Colour: Tan

JOBST® FarrowWrap® Thighpiece incl. knee piece



Available in:
Lite 20-30mmHg
Strong & Classic 30-40mmHg
Style options: thigh, incl knee piece and liners
Sizes: 5
Lengths: 2 (regular or long)
Colour: Tan

JOBST® FarrowWrap® 4000




Available in:
30-40mmHg
Style: knee-high
Sizes: 4
Lengths: 2 (regular or tall)
Colours: Black or tan


JOBST® FarrowHybrid® Liner



Available in:
20-30mmHg
Sizes: 4
Colours: Black or taupe



†Measurement only required when ordering additional JOBST® FarrowHybrid®





Available on
HSE Woundcare
Framework


JOBST® UlcerCARE™

2-in-1 compression system for the effective
management of venous leg ulcers

JOBST® UlcerCARE™ is available in **seven sizes**

The JOBST® UlcerCARE™ sizing table covers seven sizes and fits almost every patient.
When ordering a JOBST® UlcerCARE™ compression system for a specific patient,
make sure to check and compare your measurement to the sizing table.

Size	S	M	L	XL	2XL	3XL	4XL
Ankle	18 – 21 cm	21 – 24 cm	24 – 27 cm	27 – 30 cm	30 – 33 cm	33 – 36 cm	36 – 39 cm
Calf	29 – 35 cm	34 – 41 cm	40 – 47 cm	46 – 54 cm	48 – 56 cm	50 – 58 cm	52 – 60 cm



JOBST® UlcerCARE™ Ready-to-Wear

- ✓ Easy-to-use - only two measurements required
- ✓ Available in seven sizes
- ✓ Outer stocking available in beige or black
- ✓ Non-zippered or zippered outer stocking (zipper can be placed left or right)
- ✓ Liners available in white as standard

Non-zippered Stocking and Liners		
Order Code	Size - Beige	Pack Contents Stocking / Liner
73630-21	S	1 Outer Stocking & 2 Liners
73630-22	M	1 Outer Stocking & 2 Liners
73630-23	L	1 Outer Stocking & 2 Liners
73630-24	XL	1 Outer Stocking & 2 Liners
73630-25	2XL	1 Outer Stocking & 2 Liners
73630-26	3XL	1 Outer Stocking & 2 Liners
73630-27	4XL	1 Outer Stocking & 2 Liners
Order Code	Size - Black	Pack Contents Stocking / Liner
73630-41	S	1 Outer Stocking & 2 Liners
73630-42	M	1 Outer Stocking & 2 Liners
73630-43	L	1 Outer Stocking & 2 Liners
73630-44	XL	1 Outer Stocking & 2 Liners
73630-45	2XL	1 Outer Stocking & 2 Liners
73630-46	3XL	1 Outer Stocking & 2 Liners
73630-47	4XL	1 Outer Stocking & 2 Liners

Zippered Stocking and Liners			Zippered Stocking and Liners		
Order Code	Size - Beige (zipper left)	Pack Contents Stocking / Liner	Order Code	Size - Beige (zipper right)	Pack Contents Stocking / Liner
73631-21	S	1 Outer Stocking & 2 Liners	73631-61	S	1 Outer Stocking & 2 Liners
73631-22	M	1 Outer Stocking & 2 Liners	73631-62	M	1 Outer Stocking & 2 Liners
73631-23	L	1 Outer Stocking & 2 Liners	73631-63	L	1 Outer Stocking & 2 Liners
73631-24	XL	1 Outer Stocking & 2 Liners	73631-64	XL	1 Outer Stocking & 2 Liners
73631-25	2XL	1 Outer Stocking & 2 Liners	73631-65	2XL	1 Outer Stocking & 2 Liners
73631-26	3XL	1 Outer Stocking & 2 Liners	73631-66	3XL	1 Outer Stocking & 2 Liners
73631-27	4XL	1 Outer Stocking & 2 Liners	73631-67	4XL	1 Outer Stocking & 2 Liners
Order Code	Size - Black (zipper left)	Pack Contents Stocking / Liner	Order Code	Size - Black (zipper right)	Pack Contents Stocking / Liner
73631-41	S	1 Outer Stocking & 2 Liners	73631-71	S	1 Outer Stocking & 2 Liners
73631-42	M	1 Outer Stocking & 2 Liners	73631-72	M	1 Outer Stocking & 2 Liners
73631-43	L	1 Outer Stocking & 2 Liners	73631-73	L	1 Outer Stocking & 2 Liners
73631-44	XL	1 Outer Stocking & 2 Liners	73631-74	XL	1 Outer Stocking & 2 Liners
73631-45	2XL	1 Outer Stocking & 2 Liners	73631-75	2XL	1 Outer Stocking & 2 Liners
73631-46	3XL	1 Outer Stocking & 2 Liners	73631-76	3XL	1 Outer Stocking & 2 Liners
73631-47	4XL	1 Outer Stocking & 2 Liners	73631-77	4XL	1 Outer Stocking & 2 Liners

JOBST® UlcerCARE™ Replacement Liners

- ✓ Provides nominal compression of 15-20mmHg* for non-ambulatory patients
- ✓ Can be worn for 24 hours per day
- ✓ Contains silk to hold dressings in place and for ease of donning

Order Code	Size	Pack Contents
73632-21	S	3 Replacement Liners
73632-22	M	3 Replacement Liners
73632-23	L	3 Replacement Liners
73632-24	XL	3 Replacement Liners
73632-25	2XL	3 Replacement Liners
73632-26	3XL	3 Replacement Liners
73632-27	4XL	3 Replacement Liners

1. EWMA position document, "Understanding compression therapy", 2003.
2. O'Meara S, Al-Kurdi D, Ovington LG. Antibiotics and antiseptics for venous leg ulcers. Cochrane Database Syst Rev. 2008;(1):CD003557.

3. Targeted nominal compression for an average ankle size.
4. Targeted nominal compression for an average ankle size.
5. EWMA position document, "Understanding compression therapy", 2003.

NOTES

[illegible][illegible]



From Essity

Professional Accredited Training for Healthcare Professionals (PATH) is a gold standard education platform with a diverse selection of therapy areas and learning styles, to help you provide the best possible patient care.


New PATH Learning

Essity are proud, we are proud to support your education journey with different learning styles and a wide range of topics. Register today and take a look.

PATH Learning Account

Easy access to self-learning:

- Create an account and add your chosen learning plans.
- Learning plans contain a mixture of styles including e-learning, pre-recorded bitesize sessions and webcasts.
- Choose the style(s) that suit you best or utilise them all to enhance your learning retention.
- Your HC21 Rep can supply links to education to quickly and easily add these to your learning plan.



Therapy Areas

Learning Plans available in the following areas:

- Lower Limb Management
- Lymphoedema Care
- Wound Management
- Orthopaedics
- Animal Healthcare

Live Sessions

Live bitesize sessions and masterclasses can be set up through the Essity Account Management team.



Scan below to access
Essity's Professional
Accredited Training
for Healthcare
Professionals - PATH



Scan to access HC21
Compression Products
available on PCRS

